
















ProofVision Outdoor Durascreeen Display / TV Range

-  High Definition (HD) display
-  Anti-reflective screen
-  Eco-friendly power timer
-  Full HD TV tuner
-  Standard Vesa mounting
-  IP65 rated
-  Multiple audio/video inputs
-  Built-in fan cooling
-  LED backlight
-  Tempered glass
-  Wide viewing angle
-  Temperature control
-  2 year warranty



Toughened Glass

The robust design and tempered glass make the DuraScreen model one of the toughest outdoor solutions on the market, ideal for public areas where vandalism maybe a concern.



Fan cooling system

The DuraScreen model uses built in fans to maintain control of the temperature, an effective solution to prevent the unit from overheating.



Easy access for maintenance

Designed with ability to unlock the front panel and gain access to the inside of the unit for easy servicing and upgrading with the view of the long term solution in mind.

Built in speakers


2 x 15W speakers allow for a fully integrated audio/visual experience. Audio out also available to pair with powerful outdoor speakers.

APPLICATIONS

Ideal for...

- | | |
|--|--|
|  Tourist attractions |  Venues & Events |
|  Factories |  Hotels |
|  Bars & Pubs |  Shops & Retail |
|  Mobile Displays |  Schools & Colleges |






TECHNICAL SPECIFICATION

	43" PV43DHB	55" PV55DHB	65" PV65DHB
Max resolution	1920x1080	1920x1080	1920x1080
VESA standard	800x400mm	800x400mm	800x400mm
Contrast ratio	3000:1	3000:1	3000:1
Brightness	1500cd/m2	1500cd/m2	1500cd/m2
Max power consumption	≤230W	≤280W	≤475W
TV dimension	1158.7 x 852.5 x 169.5mm	1449.6 x 990.6 x 169.5mm	1689.9 x 1113.7 x 169.5mm
Weight	55kg	75kg	100kg
TV format		1080p	
Built-in tuner		DVB-T2/S2/C	
YPbPr		1PC	
HDMI		2PCS	
RS232		1PC	
VGA		1PC	
AV		1PC	
SCART		1PC	
PC audio		1PC	
Earphone		1PC	
Tuner		2PC	
Coaxial		1PC	
USB		1PC	
CI card		1PC	
Audio output power		2x15W	
Power input range		AC 110 – 240V	
TV systems		PAL	
Tempered glass		YES	
Viewing angle		170 degree /160 degree (H/V)	
Waterproof remote control		1PC	
Batteries		1PC	
User manual		1PC	
Power adaptor		1PC	
Usage time per day		16-20 hours	
IP rating		IP65	
Cooling system		Fans	
Operating temperature		-20 to 50 degrees	

ACCESSORIES



Outdoor TV cover



Fixed TV bracket