# D.E.C.T 603 \*\*)

## Wireless audio Intercom System



Technical Details			
Outdoor Unit		Indoor Unit	
Relays	2	Power Supply	Charging Base = 5v dc. Wall Unit = 12v dc.
Construction	Marine Stainless & Powder Coated Aluminium	Volume Adjust	Yes
Keypad Relays	3	Voicemail Capacity	16
Power Supply	24v ac/dc (24v 2A dc adaptor included)	Calling Between Handsets	Yes
Current Consumption	65mA Standby, 400mA Calling	Tag/Card Type	125kHz fixed digit code card, passive type
		Tag/Card Quantity	1200* Across 3 separate relays*

# **SLIM Compulsory Module Options**

MOD-603



## **Accessory Modules Options**

MOD-ASSM-PX-KP



Combined Prox and keypad

MOD-ASSM-KP



Illuminated keypad

MOD-PRIME-VIG



Module for Vigik cut out

### **BACK BOX OPTIONS**







## **DECT 603 Compulsory items**





1 audio handset and transmitter.





1 wall/desk mount audio monitor and transmitter.

## **Optional Extra items**



603-EH

Add up to 3 additional audio handsets. (4 in total)



#### 603-HF-EH

Add up to 3 additional Handsfree Wall/desk audio handsets. (4 in total)



#### 603-WIFIA

Range boosting antenna which can be added to transmitter at gate and also optionally to the handsfree monitor type. One antenna can boost range by 30%. Comes with 2 metre antenna cable (RG174 with SMA male connector).