

# RADIO CONTROL ROLLING CODE

## BeGood RS3

GB

Radio control with variable 66 bit code transmission which guarantees an inviolable degree of security.

- Mod. **BeGood RS3/B** : three channel (Black)
- Mod. **BeGood RS3/W** : three channel (White)

### TECHNICAL CHARACTERISTICS


- Powered by a lithium battery: 3Vdc (CR 2032)
- Working frequency: 433,92MHz
- Combinations: 66 bit rolling code
- Maximum consumption: <20mA
- Working temperature: -10÷55°C
- Dimensions: 32x64x12mm

### DESCRIPTION OF FUNCTIONING

The transmitter is complete with 3 buttons for the management of 3 different uses.

#### WARNING

- The lithium battery Vdc (CR2032) must be changed every two years in order to guarantee the correct functioning of the transmitter.
- In order to substitute the dead battery, follow the illustration.
- The used battery must be disposed of correctly in an appropriate recycling bin.



SEAV s.r.l. declares that the products:

**Radio control BeGood RS3/B**

**Radio control BeGood RS3/W**

Comply with the requirements of the European Directive R&TTE 99/5/EC.



Via Oriana Fallaci 4/6  
60027 Osimo (AN) Italy  
[www.seav.com](http://www.seav.com)