

# RADIO CONTROL ROLLING CODE

GB

## SERIES: BeHappy RH

Radio control with variable 66 bit code transmission which guarantees an inviolable degree of security.

- Mod. **BeHappy RH 1** : one channel
- Mod. **BeHappy RH 2** : two channel
- Mod. **BeHappy RH 3** : three channel

### TECHNICAL CHARACTERISTICS


- Powered by a lithium battery: 3Vdc (CR 2032)
- Working frequency: 868.3 MHz
- Combinations: 66 bit rolling code
- Maximum consumption: <20mA
- Working temperature: -10÷55°C
- Dimensions: 33x69x13mm

### DESCRIPTION OF FUNCTIONING

The transmitter, according to the model, is complete with either 1, 2 or 3 buttons for the management of either 1, 2 or 3 different uses.

#### WARNING

- The lithium battery Vdc (CR2032) must be changed every two years in order to guarantee the correct functioning of the transmitter.
- In order to substitute the dead battery, follow the illustration.
- The used battery must be disposed of correctly in an appropriate recycling bin.



SEAV s.r.l. declares that the products:

**Radio control BeHappy RH 1**

**Radio control BeHappy RH 2**

**Radio control BeHappy RH 3**

comply with the fundamental requirements of the European Directives R&TTE 99/5/EC.



**SEAV s.r.l.**

Via Oriana Fallaci 4/6  
60027 Osimo (AN) Italy  
www.seav.com