



6702W

MINI BM WHITE MONITOR, VIP



Colour monitor with handset and audio induction loop for ViP system. 4.3" 16/9 colour screen. Resolution 480x272 pixels. Allows backlighting intensity, audio volume and ringtone volume adjustment. Equipped as standard with 4 soft touch buttons: lock-release with door open indicator LED, privacy function button with indicator LED, 2 programmable buttons. With 3 inputs that can be programmed for various functions. The optional accessory Art. 6735W has a further 5 programmable buttons (in addition to the lock-release and privacy keys) which can also be used for menu navigation. Can also be used in standard PoE systems. The ringtone and the video memory function with absent message can be customised. H.264 video format. Dimensions: 175x160x22 mm

AWARDS

DESIGN
MILANO





6702W

MINI BM WHITE MONITOR, VIP

GENERAL DATA

Product height (mm)	160
Product width (mm)	175
Product depth (mm)	22
Product weight (g)	650
Product color	White RAL9003
Material	ABS
Wall-mounted	Yes
Desk base-mounted	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS

ViP	Yes
-----	-----

DISPLAY FEATURES

Size (inches) (")	4.3
Aspect Ratio	16:9
Resolution (pixels)	480x272
OSD menu	Optional with art. 6735W

AUDIO FEATURES

Induction loop function	Yes
Microphone	6mm (Ø), Omnidirectional
Loudspeaker	40 (Ø) x 5.1 (H)mm, 100 ohm, 0.25W

ELECTRICAL CHARACTERISTICS

Type of power supply	PoE
PoE power supply	Standard IEEE 802.3af, Comelit PoE (56VDC)
Absorption in stand-by (W)	2.4
Maximum absorption (W)	4.8

HARDWARE FEATURES



6702W

MINI BM WHITE MONITOR, VIP

Type of buttons	Capacitive
Service buttons	Lock-release, Silent (Privacy), Menu, Door open
No. of programmable buttons for additional functions	2 (5 with accessory art. 6735W)
Clamps	IN1 IN2 IN3 GND
Removable terminals	Yes
Number of inputs (n°)	3
Communication ports	RJ45 (Ethernet)

SETTINGS

Loudspeaker volume	Yes
Ringtone volume	Yes
Screen backlight	Yes

NETWORK AND COMMUNICATION PROTOCOLS

Type of LAN network	Ethernet 10/100 Mbit/s, IEEE 802.3, IEEE 802.3u (Fast Ethernet)
IP address assignment	Auto IP, DHCP, Static

ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection degree	IP30
Operating temperature (°C)	5 ÷ 40
Operating humidity (RH max - %) (%)	25 ÷ 75
Environmental class	I
Compliance and Certifications	RoHS II - 2011/65/UE (EN 50581:2012), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

MAIN FUNCTIONS

Door opener	Yes
Self Activation	Yes
Intercom calls	Yes
Actuator control	Yes



6702W

MINI BM WHITE MONITOR, VIP

MAIN FUNCTIONS

CPS call	Yes
Outside door call input	Yes
Silent mode (Privacy)	Yes
Video memory	Yes
Door opening on call (Doctor)	Yes
Door open signaling	Si
Call forwarding	Yes
Multiple address	Yes
Customisable ringtone	Yes
Sending alarm calls	Yes
Date/time display	Yes
Sending e-mail on event	Yes
Message for absent	Yes
Receiving ViP messages	Yes
ViP anti-theft function	Yes



6702W

MINI BM WHITE MONITOR, ViP

ACCESSORIES



6719V **Access. cables external passage for MINI HS. ViP**

Wall bracket for ViP system Mini monitor with handset; allows through-routing of external cables.



6712V **DESK BASE FOR MINI MONITOR WITH HANDSET. ViP**

Desk base for desktop conversion of ViP system Mini monitor with handset. Dimensions: 105x70x110mm.



6735W **ADD.BUTT. KIT FOR MINI MONITOR W/HANDSET, ViP**

Accessory for conversion of Mini ViP series monitors Art 6702W into 7-button versions. Includes a 7-button faceplate and an electronic module for button activation, which can be installed quickly without the need to open the monitor casing.



6711WS **MINI HANDSET SMALL ADAPTER PLAQUE**

Mounting accessory for Mini Monitor when replacing Magis or Genius door entry monitors. White. Dimensions: 230x220x3mm.