![tp-link | kasa smart]

Kasa Spot

Indoor Security Camera

KC100

works with **alexa**

works with **Hey Google**

Full HD 1080P 1080p HD | **Night Vision** | **Two-Way Talk**

Features

Crystal Clear Video

1080p HD, 130° wide-angle video and night vision, make sure you never miss a thing day or night.

Live View

keep an eye on what's important to you real-time fromanywhere with the Kasa Smart app.

Night Vision

Even at night, the camera will detect activity 20 ft. away with Night Vision.

Smart Actions

With Smart Actions, your Kasa devices can work together to create a smarter smart home.

Secure Cloud Storage

Subscribe to a Kasa Care Plan* to store your video clips detected by motion or sound for added backup and extra beneficial functions.

*Kasa Care Subscription Plans are only available in certain regions.

Four Customizable Activity Zones

Create multiple dynamic activity zones around areas that are important and receive alerts you care about.

Two-Way Talk

Communicate with others with the built-in microphone and speaker.

Specifications

Camera

Image Sensor: 1/2.7"(Φ6.6)
Resolution: 1080p HD 15 fps
Night Vison: 850 nm IR LED up to 20 ft
Lens: F/NO: 2.0; Focal Length: 3.21mm
Viewing Angle: FOV = 130°

Audio

Audio Communication: 2-way audio
Audio Input & Output:
Built-in microphone and speaker

Video

Video Compression: H.264
Frame Rate: 15fps
Video Streaming: 1080p
Audio Compression: G.711

Activity Notifications

Input Trigger:
Motion detection, Audio detection
Output Notification:
Push notification

Hardware

Button: RESET button
Indicator LED: System LED
Adapter Input: 100-240VAC, 50/60Hz, 0.2A
Adapter Output: 5.0VDC, 1.0A
Dimensions (W x D x H):
2.3 x 2.0 x 3.5 in. (59 x 49.6 x 88.6 mm)

Network

Wireless Rate:
11Mbps(802.11b)
54Mbps(802.11g)
150Mbps(802.11n)
Frequency:2.4GHz
Wireless Security: WEP, WPA/WPA2-PSK
Security: 128 bit AES encryption with SSL/TLS

System

Regulatory Certification:
FCC, IC, CE
System Requirements:
iOS 9+, Android 4.4x+

Environment

Operating Temperature:
0°C~40°C (32°F~104°F)
Storage Temperature:
-20°C~70°C (-4°F~158°F)
Operating Humidity:
10%~90%RH non-condensing
Storage Humidity:
5%~90%RH non-condensing

Package Contents

Kasa Spot
Power Adapter
10 ft USB Cable
Quick Start Guide
Mounting Screws
Mounting Template

RESET Button

Microphone
System LED

USB Cable

www.tp-link.com

TP-Link   Kasa Spot   KC100