



**2719W**

## **5-BUTTON MINI DOOR-ENTRY PHONE, S2**



SB2

MINI door-entry phone with electronic call, call volume adjustment, privacy function and conversation privacy. Equipped as standard with a series of key buttons and a further 4 buttons for intercom function or various services (1 of the buttons can be used as a C/N.O contact). Equipped with an LED that may be used for various signals (busy, doctor function). Complete with 8-position dip-switch for selection of the desired user code. Door-entry phone for use in all Simplebus systems. Equipped with a selector for setting the type of system (Simplebus 1 or Simplebus2). Allows management of floor door call, call repeat, sending of alarm signals, call to main switchboard and secondary switchboard and intercom call function. Fitted with terminal art. 1214/2C. Dimensions: 105x191x28 mm

### **AWARDS**

DESIGN  
MILANO



**2719W**

## 5-BUTTON MINI DOOR-ENTRY PHONE, S2

### MAIN FEATURES

Audio system	Yes
Wall-mounted	Si
Desk base-mounted	Si
Colour	White
Total buttons (n°)	5
LED signaling (no.) (n°)	1

### FUNCTIONS

Actuator control function	Yes
Switchboard call function	Yes
Priority calls	Yes
Intercom function	Yes
Selective intercom call	Yes
Privacy function	Yes
Doctor	Yes
Floor door call function	Yes
Electronic bell	Yes
Customisable ringtone	Yes
Key button function	Yes

### HARDWARE SPECIFICATIONS

Visual signalling	Yes
Acoustic signalling	Yes
Type of finish	Plastic

### SETTINGS

Loudspeaker volume control	Yes
Microphone volume control	Yes
Ringtone volume control	Yes



**2719W**

**5-BUTTON MINI DOOR-ENTRY PHONE, S2**

**GENERAL DATA**

Height (mm)	190
Width (mm)	105
Depth (mm)	28

**COMPATIBILITY**

Simplebus 2 audio/video system	Yes
Simplebus 2 audio system	Yes
Simplebus 1 audio system	Yes

**TECHNICAL CHARACTERISTICS**

Operating temperature (°C)	5 ÷ 40
Weight (g)	260
Clamps	L L CFP CFP



**2719W**

## **5-BUTTON MINI DOOR-ENTRY PHONE, S2**

### **ACCESSORIES**



**2742W** **DESK BASE FOR MINI DOOR-ENTRY PHONE WITH HANDSET**

Desk base for desktop conversion of MINI series door-entry phones.  
Complete with 1.5 m cable and connection coupling.