

HB90 Dual Kit 2KG 2KG



Dual-Lens All-Day Recording Wi-Fi Camera + Solar Panel 8W

Incredible protection, always in action

The innovative HB90 Dual Kit takes a leap forward to solve the battery anxiety and installation constraints by using solar power while cleverly balancing high security requirements and power consumption with EZVIZ's groundbreaking AOV technology. It's also an exciting addition to EZVIZ's Dual-Lens camera series, where homeowners can trust its performance to secure two areas at once and rely on it to detect, track and record important activities.



2K⁺ & 2K⁺ **Dual Lenses**

10,400 mAh

Rechargeable

Lithium Battery



Always-On Video Mode 2.0



Dual Rotations for Ultra-Flexible Vision



Co-Detection for Auto Smart Tracking





Color Night Vision



Active Defense with Siren & Strobe Light


Al-Powered Human /

Vehicle Shape

Detection



Two-Way Talk







Weatherproof



Smart Integration with Google Assistant & Amazon Alexa²



Supports MicroSD Card (Up to 512 GB) & EZVIZ CloudPlay Storage³





Smart robotic power doubled in one

Equipped with the EZVIZ's dual-lens technology, the HB90 Dual uses three motors to ensure both cameras can smoothly swirl to reduce blind spots as much as possible.





Tap to control, separately or smartly together


Whenever you want to start a manual patrol, set up new viewing angles, or want some specific close-up details when viewing the big picture, just make few taps on the EZVIZ App to control the dual lenses.



See everything that matters, from every angle to every detail

Equipped with two lenses in sharp 2K⁺ resolution, the HB90 Dual can capture wide-angle views and detailed shots with only one device. Now you no longer have to make a difficult choice between monitoring your entrance or backyard – the two lenses can turn to different perspectives at the same time.

Dual lenses to see wide and clear



Dual rotations to see back and front





F/2.8mm Wide-angle View



F/6mm Close-up View



F/6mm Digital Zoom

Click to check, with both wide and close-up views

Understand the whole, big picture while paying attention to the important details, by using the EZVIZ App. You can tap the area of interest on the wide-angle viewing box, so a close-up view will be shown on the side at the same time.

Co-action technology ready for a complex activity

Unlike most dual-lens cameras in the market that only stitch the views of two lenses, the HB90 Dual is smart enough to complete a complicated detection activity by involving two lenses at the same time.

Step 1

The top lens detects a moving person in its view

Step 2

The bottom lens rotates and follows the moving person




Time for battery-powered all-day recording

Unlike most battery cameras on the market, which have trouble detecting and recording videos due to short battery life and non-smart sensors, the camera is equipped with EZVIZ's groundbreaking AOV technology to enable all-day recording while ensuring a long standby time with a much greater detection distance.

About the EZVIZ AOV Technology >







01 Always records, scenes or events

When on the AOV mode, the HB90 Dual can capture images at preset time intervals and process them to create a smooth time-lapse video⁴ showing the changes over time, even when there is no activity. Once detecting an activity, the camera will switch to normal-speed videos to provide more information. You can now obtain all-day recording on a battery-powered camera without having to plug it into a power outlet.

Now upgraded to AOV 2.0

Wiser Battery Consumption for All-Day Recordings

Down to 1-Second Ultra-Short Time Interval



11:55 human detected





15:10 human detected

Human Motion Period
Normal Speed Video





Human Motion Period **Normal Speed Video**

ACV

02 Always protects, far or near

Unlike other battery cameras that heavily rely on PIR sensors to capture only nearby activities, this camera can detect an approaching person or vehicle at a much greater distance. If a person or vehicle appears, it will immediately notice that and inform you straight away.



Al Human Detection Alarm (2024-10-11 10:52:22)

●15:00





Standard

Other battery cameras only with PIR sensor

12-25 meters⁵

9 meters

Non-stop solar power, set-and-forget⁶

The HB90 Dual is serious about getting hassle-free. Install its included solar panel at a sunny spot, and connect it to the camera, so the system will take free, green energy to keep the watch around the clock, all by itself. With just two hours of direct sunlight each day, you can enjoy uninterrupted monitoring near your premises.





Smarter alerts on the comes and goes

In addition to capturing human activities with a wealth of information, the HB90 Dual recognizes the shape of a car from other moving objects. If your family member pulls up in front of your driveway or someone parks in your detected area, you will be notified immediately.



Al-Powered Human / Vehicle Shape Detection



Customizable Detection Zone




No Subscription Fee

Night is now bright and colorful

Blurred and pixelated night vision is now a thing of the past. The improved lens with the large F1.2 aperture captures more light and thus enables long-range color night vision of up to 35 meters. What's better, you can choose between the color mode or the infrared mode as you'd like.







2 IR Lights | Black & White Night Vision

Faster connections, boosted coverage

Being Wi-Fi 6-enabled means that the HB90 Dual is far less likely to face network challenges when operating outside your house. In addition to enhanced Wi-Fi connection stability, you can enjoy smoother dual 2K⁺ video streaming and faster camera response when controlling it remotely.


Low-Latency 2K+Streaming

Extended Range & Coverage

Enhanced Connectivity


No Hub Required





Respond with high-quality audio

Easily respond to any visitor by simply using your phone to speak remotely. The HB90 Dual can also auto-play a recorded voice message when a motion is detected.



Use active defense to defer

Upon detection of intruders, the camera will set off a loud siren and flash two dazzling spotlights to let the uninvited strangers know they have been detected.




Deliver protection, rain or shine

With a robust weatherproof design, the HB90 Dual Kit ensures continuous operation, making it your reliable partner in all weather scenarios.




Enhance video experience with H.265

The H.265 creates a smoother viewing experience while only using about 50% of the data storage space required by cameras with H.264.8



Control with your voice, hands-free

The camera can integrate with your existing voice assistants. You can pull up the video feed by simply saying "Alexa" or "Hey Google".²



Save your videos with two options

Safely store important moments or cute memories on a large local storage card, or by subscribing to the EZVIZ CloudPlay.³

A cleaner planet, with an EZVIZ Green product

At EZVIZ, we design products with sustainability in mind, building a smart home that's ready for the future and responsible for the planet. By integrating the use of solar technology and planting forests, we enable you to live a smart lifestyle with less carbon emissions.



Reduces carbon emissions generated by a multi-device smart home





Grows the EZVIZ Global Forest Plan with locally beneficial tree

We're committed to protecting with trust

We put security as the primary goal of every product and system that we build, and assiduously improve our practices to better protect your device, data and privacy.

Learn more about our security practices >



End-to-end
Data Encryption

TLSData Transmission
Encryption

AESData Encryption



- 1 The inclusion of the supporting solar panel in the HB90 Dual is intended to provide an additional power source for the main device, helping to extend the battery life of the camera to reduce the frequency of recharging. To prolong the battery life, we recommend you to enable the AOV mode for wiser battery consumption. Please note that the HB90 Dual only supports working with the EZVIZ Solar Panels that use Type-C charging cables.
- 2 Amazon Alexa and Google Assistant are not available in certain languages and countries.
- 3 Local storage cards must be purchased separately. Cloud storage service is only available in certain markets. Please verify availability before making a purchase.
- 4 To use this function, a compatible microSD card (sold separately) must be inserted into the camera.
- 5 When the AOV mode is enabled, according to EZVIZ Lab's test results under standard conditions, the HB90 Dual is able to detect movements at a distance of up to 25 meters during the day, and up to 12 meters during the nighttime. The actual detection range may differ due to other environmental factors.
- 6 Data from EZVIZ Lab's test results, under the following standard condition: AM=1.5, 25°C, 1000W/m², SMQ. The data is obtained based on the camera set on AOV mode and with the AOV interval set as AUTO. The actual charging efficiency may vary depending on sunlight intensity and other environmental factors, while the actual hours of camera use may also differ due to the frequency of camera activities and other environmental factors.
- 7 Data from EZVIZ Lab's test results under standard conditions. The distance figures are obtained based on the camera's four spotlights or four IR lights being switched on and pointing in the same direction. Actual distance may vary depending on battery level and other environmental factors.
- 8 Data from EZVIZ Lab's test results under standard conditions. The video compression efficiency will vary with the frequency and complexity of the activity captured, as well as other environmental factors.

Specifications cs-HB90/SP-R100(4MP+4MP)

Camera

Image Sensor 1/3" 4-Megapixel Progressive Scan CMOS Sensor

Shutter Speed Self-adaptive shutter

Lens Top Lens: 2.8mm @ F1.2, Field of view: Diagonal 110°,

Horizontal 96°, Vertical 54°

Bottom Lens: 6mm @ F1.2, Field of view: Diagonal 60°,

Horizontal 52°, Vertical 28°

PT Angle Top Lens: Pan: 220°, Tilt: 10°

Bottom Lens: Pan: 324°, Tilt: 90°

Minimum Illumination 0.01 Lux @ (F1.2, AGC ON), 0 Lux with IR (* data

is obtained from EZVIZ laboratories)

Day & Night IR-cut filter with auto switch

DNR 3D DNR

Night Vision Distance 35 m

Video & Audio

Max. Resolution $2K^{+}$ (2560 × 1440)

Frame Rate Max. 15fps; Self-adaptive during network transmission

Video Compression H.265 / H.264

Video Bit Rate Quad HD; HD; Standard; Adaptive bit rate

Audio Bit Rate Self-adaptive

Max. Bitrate 2 Mbps (Total)

Network

Bluetooth Supports

Wi-Fi Standard IEEE802.11b, 802.11g, 802.11n, 802.11ax

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Support 20 MHz

Security WPA-PSK / WPA2-PSK, WPA3-Personal

Transmission Rate 11b: 11Mbps,11g: 54Mbps,11n: 72Mbps, 11ax: 114Mbps

Wi-Fi Pairing AP pairing

Minimum Network

Requirement

4 Mbps

Function

Smart Alarm Al-Powered Human Shape Detection

Al-Powered Vehicle Shape Detection

Auto Tracking Supports

Customized Alert Area Supports

Two-Way Talk Supports

General Function Anti-Flicker, Dual-Stream, Heart Beat, Password

Protection, Watermark

Specifications cs-hb90/sp-r100(4MP+4MP)

Storage

Local Storage Supports microSD card (max. 512 GB)

Cloud Storage Supports EZVIZ CloudPlay storage (Subscription required)

General

Operating Conditions -20°C to 50°C (-4°F to 122 °F)

Humidity 95% or less (non-condensing)

Battery Capacity 10,400 mAh

IP Grade IP65

Power Supply DC 5 V / 2 A (Adapter needs to be purchased separately)

Power Consumption Max. 10 W

Specifications cs-psp8-r100-3m

Performance Parameter

Power Voltage $5.4 \text{ V} \pm 5\%$ Power Current $1.48 \text{ A} \pm 5\%$ Open Circuit Voltage $6.8 \text{ V} \pm 5\%$ Short Circuit Current $1.64 \text{ A} \pm 5\%$ Max. Power $8 \text{ W} \pm 5\%$

Interface Type-C Solar Cell Efficiency 23.5%

Operating Conditions -20 °C to 60 °C (-4 °F to 140 °F),

Humidity 90% or less (non-condensing)

IP Grade IP65

Solar Cell Type Monocrystalline solar cells

Power Cable Length 3 meter

General

Product Dimensions HB90 Dual: 135 × 136.5 × 229.5 mm

 $(5.31 \times 5.374 \times 9.04 \text{ inch})$

Solar Panel 8W: 267.3 × 186.5 × 17.5 mm

 $(10.45 \times 7.49 \times 0.61 \text{ inch})$

Packaging Dimensions $300 \times 204 \times 175 \text{ mm} (11.81 \times 8.03 \times 6.89 \text{ inch})$

Net Weight HB90 Dual: 890 g (31.39 oz)

Solar Panel 8W: 428 g (15.09 oz)

Weight with Package 1930 g (68.08 oz)

In the box

- HB90 Dual Camera
- Solar Panel 8W
- Drilling Template
- Adjustable Mounting Bracket
- Screw Kit × 2
- Power Cable
- Regulatory Information × 4
- Quick Start Guide × 2

Certifications

CE / REACH / WEEE / RoHS

Specifications are subject to change without notice. " ** ", " EZVIZ" and other trademarks and logos are the properties of EZVIZ in various jurisdictions.